

LTR788™ Dual Platform Scales

Determine Individual Tire Weights to
Optimize Vehicle Performance & Safety



Display Individual Wheel Weights within Dual Tire Configurations *

Weighing only 39 lb (17 kg), the LTR788™ Dual Platform Scale was created to directly measure tire weights in a dual tire configuration and compare to tire ratings on the sidewall. The fully-electronic, self-contained, low profile wheel load scales are used to measure individual wheel weights and determine proper weight distribution, a benefit to any organization concerned with tire longevity, fuel economy and road safety.

The LTR788™ is battery operated and features a solar panel that offers the advantages of an electronic scale but minimizes the need to manually charge the batteries. The lightweight and low profile design, with a platform height of 0.86" (22 mm), makes the scale easier to move and for drivers to position the vehicle.

**Patent Pending*

LTR788™ Dual Platform Scales

*Patent Pending



Integrated Indicator with Comprehensive Push Button Controls Include: On/Off, Local/Total, Zero & Print/Accum

Easy Viewing of Weights Via 1" (25 mm) High LCD with Auto Back Light



Low-Profile Height of Just 0.86" (22 mm) for Easy Approach onto Scale

Dual Platforms Capture Individual Wheel Weights

Solar Boost Provides up to One Year of Battery Life with Daytime, Outdoor Use

CAPACITY	30,000 lb (15,000 kg) Total, 15,000 lb (6,800 kg) Per Pad*
PAD DIMENSIONS	12.75" x 15.5" x .86" (324 x 394 x 22 mm) Each
WEIGHT	39 lb (17 kg)
ACCURACY	± 0.5% to 1%
INDICATORS	Low Battery, lb/kg, Inner Local, Outer Local, Total
CONTROLS	Push Button On/Off, Zero, Local/Total, Print/Accumulate
TEMPERATURE	Operating -20° to 150°F (-28° to 65°C) Storage -40° to 170°F (-40° to 75°C)

*Pending Certification

Local/Total Button Toggles Between Inner, Outer, and Both (Total) Wheel Weights



Inner Tire Wheel Weight Displayed



Outer Tire Wheel Weight Displayed



Indicates Total of Both Wheel Weights



info@intercompcompany.com

Worldwide: +1 763-476-2531

Toll Free: 800-328-3336

© 2024 Intercomp Company



intercompcompany.com

Specifications subject to change without notice.

CE ISO 9001:2015 Registered



Printed in the U.S.A.